# COLLECTION VOL.12 Interior curtain VERSION 2025 - 2026




OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100

an an and the

- No areas on the second second second second second

SIMENA Code: BO-V01		OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100	Made in <b>Turkey</b>
Width: 310 cm	Weight: 359 g/m2 ±5%	Recommended:	₩ &
Composition: 100% Polyester	Function: 😂 🐼	Application:	




SIMENA Code: BO-V07		OEKO-TEX® COMFIDENCE IN TEXTILES STANDARD 100	Made in <b>Turkey</b>
Width: 310 cm	Weight: 359 g/m2 ±5%	Recommended:	Ĩ Ă 🛛 근 P
Composition: 100% Polyester	Function: 😪 🗭	Application:	




SIMENA Code: BO-V09		OEKO-TEX ® CONFIDENCE IN TEXTILES STANDARD 100 STANDARD 100
Width: 310 cm	Weight: 359 g/m2 ±5%	Recommended: 🛛 🕅 🖄 🗁 🕑
Composition: 100% Polyester	Function: 😂 🗭	Application: 📖 🛄 🖽 😔



SIMENA Code: BO-V12		OEKO-TEX CONFIDENCE IN TEXTIL STANDARD 10	Made in <b>0</b> Turkey
Width: 310 cm	Weight: 359 g/m2 ±5%	Recommended:	1997 🖄 🖾 🖻 🗩
Composition: 100% Polyester	Function: 🚱 🗭	Application:	



HOWL Code: JF30088-L08		OEKO-TEX CONFIDENCE IN TEXTI STANDARD 10	® Made in <b>D Turkey</b>
Width: 300 cm ±5%	Weight: 340 g/m2 ±5%	Recommended:	🐨 🔺 🖸 균 P
Composition: 100% Polyester	Function:	Application:	



HOWL Code: JF30088-L20		OEKO-TEX CONFIDENCE IN TEXTIL STANDARD 10	® Made in 00 Turkey
Width: 300 cm ±5%	Weight: 340 g/m2 ±5%	Recommended:	🐨 🗶 🖸 🖻 P
	Function: 🔗	Application:	



HOWL Code: JF30088-L05		OEKO-TEX CONFIDENCE IN TEXTIL STANDARD 10	® Made in 0 W Turkey
Width: 300 cm ±5%	Weight: 340 g/m2 ±5%	Recommended:	🖮 👗 🖸 🗟 P
Composition: 100% Polyester	Function:	Application:	




HOWL Code: JF30088-L02		OEKO-TEX CONFIDENCE IN TEXTI STANDARD 10	® Made in 00 Turkey
Width: 300 cm ±5%	Weight: 340 g/m2 ±5%	Recommended:	5000 👗 🖸 균 P
Composition: 100% Polyester	Function: 🎯	Application:	



	<b>KAYRA</b> Code: 9003-22678		OEKO-TEX CONFIDENCE IN TEXTI STANDARD 10	® Made in Turkey	
	Width: 320 cm ±5% Composition: 100% Polyester	Weight: 420 g/m2 ±5% Function: 🍄	Recommended: Application:	∞ ¥ Q ⊡ 0 ∭ <b>Щ Щ</b> Q	
			Application		
					1213年1月4日
				人的法	
				的科学	
			臺北北市		
自己在自己的					是有代表的
		是2月2日1日			
	建国际国家投			均均利其	

<b>KAYRA</b> Code: 9003-21773			lade in <b>urkey</b>
Width: 320 cm ±5%	Weight: 420 g/m2 ±5%	Recommended: 🛛 🗺 👗 🕻	] P
Composition: 100% Polyester	Function: 🝚	Application:	∎∭፼



	<b>KAYRA</b> Code: 9003-22688	OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Turkey			
	Width: 320 cm ±5%	Weight: 420 g/m2 ±5%	Recommended:		
	Composition: 100% Polyester	Function: 👻	Application:		
and francisco francisco acom en 1	a a comunicativa de la comunicativa de la comunicación de la comunicación de la comunicación de la comunicación				
				的目的	的正式
					的自我出
	计时间 在内部				
			的政治		
			段印度		
		11月1月1月1月1日			
	的现在分词				
			合并有这个		
					的过去分词

<b>KAYRA</b> Code: 9003-21850	OEKO-TEX® CONFIDENCE IN TEXTILES Made in STANDARD 100 Turkey			
	Weight: 420 g/m2 ±5%	Recommended:	1900 🗶 🖸 🖻 P	
Composition: 100% Polyester	Function: 👻	Application:		



#### OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Made in Turkey

Width: 320 cm ±3%

Weight: 250 g/m2 ±5% Recommended: •••

Application:

Composition: 100% Polyester

Function:





#### OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Made in Turkey

Width: 320 cm ±3%

Weight: 250 g/m2 ±5%

•••

Recommended: 

Composition: 100% Polyester

Function:

Application:





#### OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Made in Turkey

Width: 320 cm ±3%

Weight: 250 g/m2 ±5% Recommended: •••

Application:

Composition: 100% Polyester

Function:




#### OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Made in Turkey

Width: 320 cm ±3%

Weight: 250 g/m2 ±5% Recommended: Application:

Composition: 100% Polyester

Function: •



RIO Code: L32188			OEKO-TEX CONFIDENCE IN TEXTIL STANDARD 10	® Made
Width: 140 cm	Weight: 350	0 g/m2 ±5%	Recommended:	¥20&
Composition: 89% Polyester	Function:	<b>e</b>	Application:	
11% Cotton				




RIO Code: L32826		OEKO-TEX CONFIDENCE IN TEXTIL STANDARD 10	® Made in <b>0 Made in</b>	
Width: 140 cm Composition: 89% Polyester 11% Cotton	Weight: 350 g/m2 ±5% Function: 😨 🗭	Recommended: Application:		

RIO Code: L32827		OEKO-TEX CONFIDENCE IN TEXTI STANDARD 10	® Madein Madein	
Width: 140 cm Composition: 89% Polyester 11% Cotton	Weight: 350 g/m2 ±5% Function: 🔮 🕏	Recommended: Application:		

RIO Code: L32828		OEKO-TEX confidence in textil STANDARD 10	® Made in 0 India	
Width: 140 cm Composition: 89% Polyester 11% Cotton	Weight: 350 g/m2 ±5% Function: 🔮 🗭	Recommended: Application:		








CRETA Code: L32187		OEKO-TEX CONFIDENCE IN TEXTIL STANDARD 10	® Madein Madein
Width: 140 cm	Weight: 350 g/m2 ±5%	Recommended:	
Composition: 89% Polyester	Function: 😵 🐼	Application:	

ded:	$\boxtimes \mathbb{A} \bigcirc \mathbb{E} \boxtimes$
:	

11% Cotton



CASSIS Code: CAS 01			Made in <b>Korea</b>
Width: 152 cm	Weight: 343 g/m2 ±5%	Recommended:	X8120@
Composition: 100% Polyester	Function: 🛛 🌚 🛞	Application:	




CASSIS Code: CAS 04			Made in <b>Korea</b>
Width: 152 cm	Weight: 343 g/m2 ±5%	Recommended:	X81-20@
Composition: 100% Polyester	Function: 🛛 🚱 🛞	Application:	



CASSIS Code: CAS 06			Made in <b>Korea</b>
Width: 152 cm	Weight: 343 g/m2 ±5%	Recommended:	XØ1a0@
Composition: 100% Polyester	Function: 🛛 🌚 🍘	Application:	



CASSIS Code: CAS 10			Made in <b>Korea</b>
Width: 152 cm	Weight: 343 g/m2 ±5%	Recommended:	X8120@
Composition: 100% Polyester	Function: 🛛 🚱 🛞	Application:	



CASSIS Code: CAS 11			Madein <b>Korea</b>
Width: 152 cm	Weight: 343 g/m2 ±5%	Recommended:	&@1-20@
Composition: 100% Polyester	Function: 🔮 🌮 🏽	Application:	



ZENITH Code: ZEN 03			Madein <b>Korea</b>
Width: 160 cm	Weight: 218 g/m2 ±5%	Recommended:	&@[]_@@
Composition: 100% Polyester	Function: 🔮 🍘	Application:	



ZENITH Code: ZEN 25			Madein <b>Korea</b>
Width: 160 cm	Weight: 218 g/m2 ±5%	Recommended:	$X \boxtimes \square \supseteq @$
Composition: 100% Polyester	Function: 🔮 🌑	Application:	



ZENITH Code: ZEN 26			Madein <b>Korea</b>
Width: 160 cm	Weight: 218 g/m2 ±5%	Recommended:	X
Composition: 100% Polyester	Function: 🔮 🗭	Application:	

